# CV300 SERIES CUT VINYL



Polymeric cut vinyls with a high tack permanent adhesive and air-egress liner. Thanks to the unique combination of the high tack adhesive with air-egress liner, CV300 Series<sup>™</sup> ensures easy, dry application on a wide variety of substrates.

#### CV300 Series<sup>TM</sup>

Soft in nature, CV300 Series<sup>™</sup> calendered opaque vinyls are films with excellent dimensional stability, suitable for flat, slightly curved and mildly textured surfaces

Effortless cutting and weeding

Easy to dry-apply

Adheres to difficult surfaces\*

High opacity

Rolls of 1220mm x 45,7m

Outdoor durability up to 5 years for Black/ White and up to 4 years for other colours\*\*

For ease of installation, apply CV300 Series<sup>™</sup> cut vinyl with RTape Conform<sup>®</sup> 4761RLA application tape for air-egress liners

\* On hard-to-adhere surfaces, we recommend a test to confirm that the vinyl will bond before full application. \*\* Vertical exposure, Mid-EU climate

#### Applications

Indoor and outdoor lettering
Wall decorations & decals
Window signage
Event signage
P.O.P. signage
In-Store promotions





### CV300 SERIES | CUT VINYL

NEKOOSA.EU

### **PRODUCT OVERVIEW >**

**GLOSS** 



Colour	SKU #	Size
Gloss		
Black	EC3745-48150	1220mm x 45,7m
White	EC3281-48150	1220mm x 45,7m
Blue	EC7112-48150	1220mm x 45,7m
Hunter Green	EC8778-48150	1220mm x 45,7m
Cardinal Red	EC2472-48150	1220mm x 45,7m
Orange	EC5555-48150	1220mm x 45,7m
Dark Grey	EC1270-48150	1220mm x 45,7m
Sunflower Yellow	EC4267-48150	1220mm x 45,7m
Bright Yellow	EC3048-48150	1220mm x 45,7m

Colour	SKU #	Size
Matt		
Black	EC9284-48150	1220mm x 45,7m
White	EC1955-48150	1220mm x 45,7m
Medium Blue	EC7288-48150	1220mm x 45,7m
Hunter Green	EC4325-48150	1220mm x 45,7m
Cardinal Red	EC9882-48150	1220mm x 45,7m
Orange	EC7422-48150	1220mm x 45,7m
Dark Grey	EC9012-48150	1220mm x 45,7m
Sunflower Yellow	EC1986-48150	1220mm x 45,7m
Silver	EC1982-48150	1220mm x 45,7m
Gold	EC3477-48150	1220mm x 45,7m



Represented in EMEA by Fourbases +32 9 216 67 00 | order@fourbases.eu

## CV300 SERIES UT VINYL

NEKOOSA.EU



CV300 Series<sup>™</sup> is a high-end multipurpose cut vinyl suitable for letterings and decals on walls, windows and other storefronts.

## TECHNICAL DATA

	Film		Polymeric calendared vinyl
	Adhesive		High tack permanent acrylic
	Liner		165gsm kraft air Egress
	Opacity		92% min
Thickness	Film	75 micron	
	Thickness	Film + adhesive	100 micron
	A 10	Stainless steel - 20min	20 N/25mm
Adhesion	Stainless steel - 24hrs	24 N/25mm	
	M. 1.4.1	Film + Adhesive	125-130 gsm
	Weight	Total w/Liner	280-290 gsm

Conditions for use	
Shelf Life*	2 year
Outdoor Durability**	Up to 5 years for Black/White Up to 4 years for other colours
Min Application Temp	+2°C
Service Temp	-24°C to +60°C
Solvent Resistance***	Good for most petroleum-based solvents and lower alipathic alcohols. For ultimate solvent resistance, edge sealing is recommended.
Water Resistance	Excellent

\* Stored at 22°C /50-55%RH \*\*Vertical exposure, Mid-EU climate \*\*\* For ultimate solvent resistance, edge sealing is recommended.



Represented in EMEA by The iC Group +32 9 216 67 00 | order@theicgroup.eu