according to Regulation (EC) No 1907/2006 (REACH) as amended

Organic Surface Cleaner HD

Creation date 29th March 2021

Revision date 1.0 Version

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1. Organic Surface Cleaner HD

Substance / mixture mixture

803H-96KT-AAA1-4EAM

Relevant identified uses of the substance or mixture and uses advised against 1.2.

Mixture's intended use

Solvent

The use descriptors

PC 0 Other

ERC 2 Formulation into mixture

Mixture uses advised against

The product should not be used in ways other then those referred in Section 1. Do NOT mix with other products!

Main intended use

PC-CLN-10.1 Cleaners for kitchen areas

1.3. Details of the supplier of the safety data sheet

Distributor

K+R Kereskedelmi Kft Name or trade name

Address Hofherr Albert utca 3/a, Budapest, 1195

Hungary

Identification number (CRN) 0109072008 VAT Reg No HU10512478 Phone +36 1 410 7611 E-mail info@kpluszr.hu Web address www.kpluszr.hu

Manufacturer

Name or trade name Brilliance Tisztítószer Gyártó Kft Address

Színesfém utca 23/1, Budapest, 1211

Hungary

Identification number (CRN) 0109671313 HU12380086 VAT Reg No Phone +36 1 425-2726 E-mail brilliance@brilliance.hu Web address www.tisztitoszer.hu

Competent person responsible for the safety data sheet

Name Brilliance Tisztítószer Gvártó Kft

brilliance@brilliance.hu E-mail

1.4. **Emergency telephone number**

European emergency number: 112

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Flam. Liq. 3, H226 Eye Irrit. 2, H319 Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Materials to avoid: acids, light metals, aluminum, zinc, organic peroxides. Flammable liquid and vapour.

Most serious adverse effects on human health and the environment

Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006 (REACH) as amended

Organic Surface Cleaner HD

Creation date 29th March 2021

Revision date Version 1.0

2.2. Label elements

Hazard pictogram





Signal word

Warning

Hazardous substances

ethanol propan-2-ol 2-butoxyethanol (R)-p-mentha-1,8-diene

Hazard statements

H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P264 Wash hands and exposed parts of the body thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

P370+P378 In case of fire: Use powder extinguisher/sand/carbon dioxide to extinguish.

P501 Dispose of contents/container to by handing over to the person authorized to dispose of waste

or by returning to the supplier.

Supplemental information

EUH208 Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457610-43	ethanol	<55	Flam. Liq. 2, H225	
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25	propan-2-ol	<15	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	

according to Regulation (EC) No 1907/2006 (REACH) as amended

Organic Surface Cleaner HD

Creation date 29th March 2021

Revision date Version 1.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-014-00-0 CAS: 111-76-2 EC: 203-905-0	2-butoxyethanol	<5	Acute Tox. 4, H302+H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Specific concentration limit: ATE Oral = 1200 mg/kg bw	2
Index: 601-029-00-7 CAS: 5989-27-5 EC: 227-813-5 Registration number: 01-2119529223-47-xxxx	(R)-p-mentha-1,8-diene	<1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	1

Notes

- 1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- 2 Substance with a Union workplace exposure limit.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Not expected.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. Treatment based on symptoms.

according to Regulation (EC) No 1907/2006 (REACH) as amended

Organic Surface Cleaner HD

Creation date 29th March 2021

Revision date Version 1.0

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. **Environmental precautions**

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep container tightly closed. Keep cool.

Content	Packaging type	Material of package
1	bottle	HDPE

Storage class 3A - Flammable liquids (flash point below 55 °C)

min 5 °C, max 25 °C Storage temperature

Quantity limit under established storage conditions 0,75 |, 1 |, 5 |, 10 |, 20 |, 25 |, 100 |, 200 |, 1000 |.

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

Can be used for 2 years from production.

Users must be familiar with the operating instructions.

according to Regulation (EC) No 1907/2006 (REACH) as amended

Organic Surface Cleaner HD

Creation date 29th March 2021

Revision date Version 1.0

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2000/39/EC

Substance name (component)	Туре	Value	Note
2-butoxyethanol (CAS: 111-76-2)	OEL 8 hours	98 mg/m ³	Skin
	OEL 8 hours	20 ppm	
	OEL 15 minutes	246 mg/m ³	
	OEL 15 minutes	50 ppm	

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

More information

Care should be taken to avoid direct contact with the product, contact with the skin, eyes, accidental ingestion or spill with caution. Eating, smoking is prohibited during work. Hand washing and hot water bathing should be provided during work breaks. Then the hands should be lubricated with skin protection cream.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid
Color colourless
Odour orange

Melting point/freezing point data not available
Boiling point or initial boiling point and boiling range data not available
Flammability data not available
Lower and upper explosion limit data not available

Flash point 23 °C

Auto-ignition temperature data not available
Decomposition temperature data not available
pH 10 (undiluted)
Kinematic viscosity data not available
Solubility in water data not available
Partition coefficient n-octanol/water (log value) data not available
Vapour pressure data not available

Density and/or relative density

Density 0,87 g/cm³
Relative vapour density data not available
Particle characteristics data not available

data not available

9.2. Other information

none

according to Regulation (EC) No 1907/2006 (REACH) as amended

Organic Surface Cleaner HD

Creation date 29th March 2021

Revision date Version 1.0

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Corrosive to metals, toxic gases are formed on contact with acids.

10.4. Conditions to avoid

Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

2-butoxyethanol

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Oral	ATE		1200 mg/kg bw			

ethanol

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Inhalation (vapor)	LC50		124.7 mg/l	4 hour	Rat	
Oral	LD Lo		7000 mg/kg bw		Rat	
Inhalation (vapor)	LC50		116.9 mg/l	4 hour	Rat	
Inhalation (vapor)	LC50		133.8 mg/l	4 hour	Rat	

propan-2-ol

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Oral	LD50		5.84 mg/kg		Rat	
Inhalation (vapor)	LC50	OECD 403	>10000 ppm	6 hour	Rat	F/M

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

ethanol

Route of exposure	Result	Method	Time of exposure	Species
	Irritating			Rabbit

propan-2-ol

Route of exposure	Result	Method	Time of exposure	Species
Eye	Serious eye damage	OECD 405		Rabbit

according to Regulation (EC) No 1907/2006 (REACH) as amended

Organic Surface Cleaner HD

Creation date 29th March 2021

Revision date Version 1.0

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

propan-2-ol

Route of exposure	Result	Time of exposure	Species	Sex
	Not sensitizing		Guinea-pig	F/M

Mutagenicity

propan-2-ol

Result	Time of exposure	Specific target organ	Species	Sex
Negative without metabolic activation, Negative with metabolic activation		Ovary	Guinea-pig	F/M

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

ethanol

Route of exposure	Parameter	Value	Result	Species	Sex
Oral			Indeterminate	Rat	

Reproductive toxicity

Based on available data the classification criteria are not met.

ethanol

Effect	Parameter	Value	Result	Species	Sex
Effects on fertility	NOAEL	>16000 ppm	No effect	Rat	
	NOAEL	5200 mg/kg/24hour	Indeterminate	Rat	

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

ethanol

Route of exposure	Parameter	Value	Time of exposure	Specific target organ	Result	Species	Sex
Inhalation	LOAEL	2.6 mg/l	30 min	Nervous system	Drowsiness, Dizziness	Human	
Inhalation	LOAEL	9.4 mg/l		Lungs	Indeterminate	Human	

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

propan-2-ol

Route of exposure	Parameter	Value	Result	Species	Sex
Inhalation (vapor)	NOEC	500 ppm		Rat (Rattus norvegicus)	F/M

according to Regulation (EC) No 1907/2006 (REACH) as amended

Organic Surface Cleaner HD

Creation date 29th March 2021

Revision date Version 1.0

Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

More information

The mixture has not been subjected to toxicological studies, the toxicological judgment being based solely on the data for each component.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Harmful to aquatic life with long lasting effects.

ethanol

Parameter	Value	Time of exposure	Species	Environment	Determining method
EC ₀	3.9 g/l	200 hour	Fishes		Experimentally
EC50	>10000 mg/l	48 hour	Daphnia		Experimentally
IC50	8800 mg/l	96 hour	Algae		Experimentally

propan-2-ol

Parameter	Value	Time of exposure	Species	Environment	Determining method
EC50	>10000 mg/l	48 hour	Daphnia (Daphnia magna)		
LC50	9640 mg/l	96 hour	Fishes	Freshwater	

Chronic toxicity

ethanol

Parameter	Value	Time of exposure	Species	Environment	Determining method
LC50	9248 mg/l	48 hour	Invertebrates		Experimentally
NOEC	250 mg/l	120 hour	Fishes (Oncorhynchus mykiss)		Experimentally
NOEC	1000 mg/l	120 hour	Fishes		Experimentally

More information

The mixture has not been subjected to ecological testing, the ecological evaluation being based solely on the data for each component.

12.2. Persistence and degradability

not available

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

Not available.

12.7. Other adverse effects

Page 8/11

according to Regulation (EC) No 1907/2006 (REACH) as amended

Organic Surface Cleaner HD

Creation date 29th March 2021

Revision date Version 1.0

not available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1987

14.2. UN proper shipping name

ALCOHOLS, N.O.S. (Etanol, Isopropyl alcohol.)

14.3. Transport hazard class(es)

3 Flammable liquids

14.4. Packing group

III - substances presenting low danger

14.5. Environmental hazards

not available

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not available

Additional information

Hazard identification No.

UN number

Classification code

Safety signs



F1



Marine transport - IMDG

EmS (emergency plan) F-E, S-D MFAG 310

according to Regulation (EC) No 1907/2006 (REACH) as amended

Organic Surface Cleaner HD

Creation date 29th March 2021

Revision date Version 1.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

H302+H332 Harmful if swallowed or if inhaled.

Guidelines for safe handling used in the safety data sheet

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P264 Wash hands and exposed parts of the body thoroughly after handling.
P370+P378 In case of fire: Use powder extinguisher/sand/carbon dioxide to extinguish.

P501 Dispose of contents/container to by handing over to the person authorized to dispose of waste

or by returning to the supplier.

P314 Get medical advice/attention if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

A list of additional standard phrases used in the safety data sheet

EUH208 Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and

mixtures

DNEL Derived no-effect level

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals

according to Regulation (EC) No 1907/2006 (REACH) as amended

Organic Surface Cleaner HD

Creation date 29th March 2021
Revision date Version 1.0

IC50Concentration causing 50% blockadeICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the population

LOAEC Lowest observed adverse effect concentration

LOAEL Lowest observed adverse effect level log Kow Octanol-water partition coefficient

MARPOL International Convention for the Prevention of Pollution from Ships

NOAEC No observed adverse effect concentration

NOAEL No observed adverse effect level NOEC No observed effect concentration

NOEL No observed effect level
OEL Occupational Exposure Limits
PBT Persistent, Bioaccumulative and Toxic

PNEC Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN Model

Regulations

UVCB Substances of unknown or variable composition, complex reaction products or biological

materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Acute Hazardous to the aquatic environment

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Irrit. Eye irritation
Flam. Liq. Flammable liquid
Skin Irrit. Skin irritation
Skin Sens. Skin sensitization

STOT SE Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.